SECTION – IV

FINANCIAL BID

CONSTRUCTION OF RECEPTION CENTRE NEAR GATE NO 1 OF APS JODHPUR

The rates should in quoted in INR only both in words and figures

S. No	Details of Work	A/U	Qty	Rat	Total Cost
(a)	Civil work (As per Scope of Work)	Sq ft	850		
(b)	Plastering work, Kota stone and tiling work (As per Scope of Work)	Sq ft	850		
(c)	Elevation(As per Scope of Work)	Sq Ft	1400		
(d)	Electrical work (As per Scope of Work)	Point	100		
(e)	Plumbing (As per Scope of Work)	Job	3		
(f)	Door and windows (As per Scope of Work)	Nos	10		
(g)	Paint and putty (As per Scope of Work)	Sq Ft	4000		
(h)	Laying of 500 feet water supply line to main supply (As per Scope of Work)	Ft	500		
(j)	Laying of 100 feet electrical line to main pole (As per Scope of Work)	Ft	100		
(k)	Soak pit (8x8x8) (As per Scope of Work)	Job			
	Total				
	GST				
	Grand Total				

Principal
APS Jodhpur

प्राचार्य / PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public School
जोधपुर / Jodhpur

To be filled by the Firm before Delivery

Name & address of the firm : _____

_____

GST No (Compulsory) : _____

Name of the Firm's owner/Rep : _____

Signature of the firm's owner/rep with seal : _____

Telephone & Mobile No : _____

E-mail address of the Firm : _____

28	P & F Grating of approved quality/Make.: Stainless steel sheet size 125 mm dia.	
29	P & F Jet spray for water closet with C.P. Copper Tube flange of approved make. MAKE: HINDWARE/PARRYWARE or of similar nature	
30	P & F Bib Cock (1S : 8931 Mark). Superior quality of approved make: C.P. Brass bib cock, 1 5mm nominal bore MAKE: HINDWARE/PARRYWARE or of similar nature	
31	P & F Stop Cock (IS :8931 Mark). superior quality & of approved make: C.P. Brass 15mm nominal bore MAKE: HINDWARE/PARRYWARE or of similar nature	
32	P & F Stop Cock (IS :8931 Mark), superior quality & of approved make: Brass 750 gm. 20 mm nominal bore MAKE: HINDWARE/PARRYWARE or of similar nature	
33	P&F Ball Cock (IS :1703 Mark) with road & P.V.C ball complete : brass wt.note less then 450mm length. MAKE: HINDWARE/PARRYWARE or of similar nature	
34	P& F 15 mm. Dia connection Pipe of approved quility/make: CP brass Pipe with CP Brass nuts up to length 450 mmlength.	
35	**P& F PVC Storage Tank ISI Marked (IS:12701) indicating the BIS license No), of approved make with cover, long wash out pipe with plug & socket, including making connection etc., complete of approved design: 2 x water tanks, 1000 liters capacity of each MAKE: ASTRAL/SIMILAR BRAND or of similar nature**	
36	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC)pipes (IS 15778: 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings ilc fixing the pipe with clamps at I metre spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall) 20mm nominal size MAKE: FINOLEX/SUPREME or of similar nature	
37	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & coid water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at I.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.,) 25mm nominal size MAKE: FINOLEX/SUPREME or of similar nature	
38	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes (IS 15778 : 2007 code) having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, this included jointing of pipes & fittings with one step CPVC solvent cement , trenching refilling & testing of joints complete as per direction of Engineer in Charge. (External work). 25 mm nominal size MAKE: FINOLEX/SUPREME or of similar nature	
39	Construction of manhole in all type of soil inner size 90 X 60 Cm, 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, S0mm thick M-15 grade C.C. Nooring. making channels, 80mm thick stonc slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm	

12	Finishing walls with Acrylic Smooth exterior paint of required shade including all scaffolding. New work (Two or more coat applied @ 1.67 ltr/10 sqm MAKE: BERGER/ASIAN or of similar nature	
13	Providing and fabrication reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete. Thermo mechanically Treated Bar MAKE : RATHI/PREMIERE STEEL or of similar nature	
14	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections. joints mitred and welded MAKE: BHIWADI or of similar nature	
15	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A' :35 mm thick: Commercial mica both side with Stainless steel fittings	
16	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to IS :13755 and IS :15622 colour such as white, grey, ivory , fume brown, light green, light blue, and toher light shades in floors, steps laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of tile complete. MAKE: SOMANY, SIMPOLO, KAJARIA or of similar nature	
17	P $ F 1st quality vitrified porcelain polished tiles on floor. Skirting and steps etc in different size size 600x600mm MAKE: SOMANY, SIMPOLO, KAJARIA or of similar nature	
18	Providing and fixing external grade window upvc	
19	**Electrical work BIS specified RR kabel, finolex, wiring including light and switches of vinay brand (Including 4 x Fans)**	
20	P & F European type white glazed vitreous china 1 quality W.C pan (1S : 2556 Mark) with P or S rap including cutting and making good the wall and floor	
21	P & F Ist quality WVC Urinal (IS:2556 mark) with 25mm dia G.I.waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Flat Back (large) or half stall size 610x400x80mm.	
22	P&FW.V.C. (1S: 2556 Mark) Squatting Urinal of standard make complete. Including cutting & making good the floor: Size 450x350mm MAKE: HINDWARE/PARRYWARE or of similar nature	
23	P & FLow level Flushing Cistern of 10 litres capacity (IS : 2556 mark)of approved make with complete fittings C.I. brackets duly painted, brass ball cock with ball (1S: 1703 mark) complete including cutting and making good the wall: PVC with PVC bend as per IS: 7231 MAKE: HINDWARE/PARRYWARE or of similar nature	
24	P & F Synthetic (PTMT) Urinal Spreader for stall urinal of approved make. MAKE: HINDWARE/PARRYWARE or of similar nature	
25	P & F WVC Wash basin (Ist quality IS:2556 Mark) of approved make with C.I. brackets duly painted 1 No. 15 mm C.P. Pillar cock (IS:8934 Mark) & 32 mm C.P. brass waste coupling of approved make, P.V.C Waste pipe with PVC nut 32 mm complete including cutting &making good the wall : size 580 mm450 mm MAKE:HINDWARE/PARRYWARE or of similar nature	
26	P& F waste Pipe with all fitting P.V.C with PVC nut 32 mm	
27	P & FLooking Mirrors with P.V.C frame of approved make as per direction of engineer-in-charge.: 500x400 mm.	