ARMY PUBLIC SCHOOL JODHPUR

CIRCULAR

AMENDMENTS IN TENDER DOCUMENT - RENOVATION OF CHEMISTRY LAB NO 2

1. Please refer open tender advertisements on **Renovation of Chemistry Lab No 2** published in Rajasthan Patrika (Jodhpur Edition) & Times of India (Jaipur Edition) on 28 Nov 2024 and uploaded on the school website.

2. The following amendments may please be carried out in Scope of Work & Financial Bid:-

S. No	Para No of Respective Tender Document	For	Read	Remarks
(a)	Scope of Work, Annexure G (Section III)	(a) Paint Work (Para 9) (b) Door (Para 18)	(a) Paint Work (Para 9) Description added (b) Door (Para 18) Number of door increased (c) Wooden cabinet (New Point added in Para 21)	Fresh Scope of Work and Financial bid are being uploaded in the school website.
(b)	Financial Bid (Section IV)			

3. Rest no change.

4. You are requested to down load the fresh scope of work and financial bid from this school website and submit the same alongwith tender documents by due date.

5. For information and necessary action please.

Date : 16 Dec 2024

(Concerned Vendor)

(Dr (Mrs) Tabassum Khan
Principal

SECTION IV

FINANCIAL BID : RENOIVATION OF CHEMISTRY LAB NO 2

S.NO.	ITEM DESCRIPTION	UNIT	QTY	Cost per sqft/pc/job	TOTAL AMOUNT
	False ceiling :				
1	(40'x28') P/F Gypsum false ceiling made out of 12 to 12.5mm thick standard gypsum board or equivalent at all height G.I. channel or frame work as per design and pattern, to be laid in true horizontal and vertical level bottom to bottom distance 3 feet, cross patti on every 2 feet, every support between 2 feet with other raw material like fastener size – 6mm, screw size – 25 mm, channel 24 gauge, connecting clips and socket clip in channel.brand :saint gobin /india gypsum or equivalent any.	Job	1		
	Flooring :				
2	(40'x28')vinyl flooring, P/F vinyl flooring 4.5mm thickness. The flooring should be 100% Washable and stain resistant. The flooring should be commercial grade and total weight of flooring should be 3.3kg/m2. Acoustical sound impact should be of 18dB.	Job	1		
	5 Window replacement : (6'x 5'5",3'6"X 4.6")				
3	gray aluminium sliding with fixed glass. In aluminiun system window we will provide you the system : Jindal or equivalent any 27mm deluxe sliding series, (5mm toughen glass), track size: sliding 3 track frame 80mmx45mm , shutter frame size 27mmx65mm, mesh ss finish , concealed handles (ette, hivic, c mech or equivalent any)	SQFT	146		
	2 Fixed glass for ventalation : (8'x1'6")				
4	In aluminiun system window we will provide you the system : Jindal or equivalent any 40mm casement series, (5mm toughen glass), fixed frame 40mmx40mm , (Jindal ette, hivic, c mech - similar or equivalent any) , all the required hardware also included.	SQFT	24		
	Lights :				
5	(40'x28') (Round panel light, Natural white) Cob &panels-neptune ,lotus,gold medal or equivalet any. Wires –polycab or havells or equilent . Switches as per requirement ,5 AMP SWITCHES –7-8 , 15 AMP SWITCHES – 5 ,5 AMP SOCKET – 7-8,15 AMP SOCKET – 2,AC SWITCH – 1	SQFT	1120		

प्राचार्य PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public School
जोधपुर / Jodhpur

6	Wiring for 250 volts single phase and neutral 1X6 amps switched socket outlet (Primary Point) with 3X1.5 sq.mm PVC insulated copper conductor 1100 volts grade stranded flexible FRLS wires in concealed or surface mounted 25 mm dia PVC conduit and earthing the third pin of each socket outlet complete as per specification and as required.all kind of wiring will include in it.,existing unwanted wires would be remove,lan wiring will shift according to layout.				
7	**Wallpaper** : Large-Scale 50 to 60 micron thick 3D wallpaper	SQFT	476		
8	Window customize **vinyl blinds** The Blind system consist of a coated aluminium tube of 38 mm diameter with provision of fabric clamping. The Fabric is rolled up and down through a chain drive system with built in drive gear and an over run brake system. The side brackets are universal type suitable both for wall and ceiling mounting. The bottom end of the fabric is rolled over an oval shape aluminium tube with provision to lock the fabric.	SQFT	224		
	Paint :				
9	Burger paint or equivalent : Suppying and applying 2 coat of putty ,one coat primer, and painted with 2 coat of plastic emulsion paint after cleaning the surface .oil paint on existing wardrobe with grey color	Job	1		
10	Exahust Fan : Havells Ventil Air Dx 150 Mm Exhaust Fan or equivalent.	PER PCS	4		
11	Fan : Fan, STEALTH AIR ES 3 Blade Ceiling Fan 1200 mm sweep (Elegant White) Havells /usha/bajaj or equivalent any.	PER PCS	8		
	Furniture :				
12	Teacher's working Table Providing and fixing tables made out of 19mm thick marine plywood of approved make finished with 1 mm thick laminate of approved colour with & pattern in all visible areas. The inner sides are with 0.8 mm thick laminate. And the table top will be in LAMINATE finish and provide 12mm thick glass on top .48"x24"x30" , side table for teacher same finish as main table size to be18"x36"x 30"	PER PCS	1		
13	Chairs :Raxine seat and back are upholstered hydraulic pump 1 year warranty adjustable according comfort.Frame Material: Glass Filled Nylon Structure with Breathable Mesh | Size: High Back | Swivel: 360º swivel | Mechanism: Synchro Multi-Tilt Lock Mechanism| Gas-lift : Class 4 | Base: Heavy Duty Metal Base | Castors:50mm Dual Caster Wheels | 2D Adjustable Armrest | 2D Adjustable Lumbar Support | 2D Adjustable Headrest | Maximum Weight Capacity: Upto 125Kgs | Height Suitability: 5ft to 5ft.10" | Color: Black ,Material Mesh,Product Dimensions 50D x 65W x 115H Centimeters,Size High Back,Back Style Solid Back Special Feature Ergonomic, Adjustable Lumbar, Adjustable Height, Arm Rest, Swivel, Adjustable Backrest, Rolling, Seat Lock, Cushion AvailabilityErgonomic, Adjustable Lumbar, Adjustable Height, Arm Rest, Swivel, Adjustable Backrest, Rolling, Seat Lock, Cushion Availability,Product Care Instructions Dry Clean Net Quantity 1 Count,Seat Material Type Memory Foam.in minimum range 20,000	PER PCS	2		

प्राचार्य / PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public School
जोधपुर / Jodhpur

14	Round stools: provide highted stool with iron leg and wooden top with polish.	PER PCS	40		
15	Drawers under table : with 19 mm thickness waterproof plywood finished with 1 mm laminate . As per drawing provided.	PER PCS	9		
16	Provide malamine polishing and repairing as required on existing racks.	PER PCS	9		
17	**Basin foucet** :Material: Virgin Brass. Finish: Chrome.Basin Mounted Pattern. Mirror Finish look technology, is highly reflective for a mirror-like look and keep it a life long bright.High Durable and Easy To Clean.as per selection by lab incharge .	PER PCS	9		
18	Door: renovation of door with 2 acp scheet	PER PCS	3		
19	**Tile work** : Providing and fixing 3' ht 1st quality ceramic glazed wall (thickness to be specified by the manufacture) of approved make in selected colour, shades with replastering on all walls including store and teacher's room and all side of tables.	Job	1		
20	dismential work of stone tile for 9 table (8'x4'x3') and wall.Gas pipe line and other instrument if remove by contractor (if required)reinstallation will include in it	Job	1		
21	4'X3' P/F wooden cabinate for cooler starter panel with 19 mm thick plywood with 1mm laminate of approved color.The inner sides are with 0.8 mm thick laminate.	SQFT	12		
	Amount				
	Add: GST (@18%of amount)				
	Total Amount				

Principal
APS Jodhpur
Army Public School
जोधपुर / Jodhpur

To be filled by the Firm before Delivery

Name & address of the firm : _____

GST No (Compulsory) : _____

Name of the Firm's owner/Rep : _____

Signature of the firm's owner/rep with seal : _____

Telephone & Mobile No : _____

E-mail address of the Firm : _____

			Annexure G	

SECTION III

SCOPE OF WORK : RENOVATION OF CHEMISTRY LAB NO 2

S.NO.	ITEM DESCRIPTION	AUTH UNIT	QTY	Compliance (To be filled by the Vendor)
	False ceiling :			
1	(40'x28') P/F Gypsum false ceiling made out of 12 to 12.5mm thick standard gypsum board or equivalent at all height G.I. channel or frame work as per design and pattern, to be laid in true horizontal and vertical level bottom to bottom distance 3 feet, cross patti on every 2 feet, every support between 2 feet with other raw material like fastener size – 6mm, screw size – 25 mm, channel 24 gauge, connecting clips and socket clip in channel.brand :saint gobin /india gypsum or equivalent any.	Job	1 Job	
	Flooring :			
2	(40'x28')vinyl flooring, P/F vinyl flooring 4.5mm thickness. The flooring should be 100% Washable and stain resistant. The flooring should be commercial grade and total weight of flooring should be 3.3kg/m2. Acoustical sound impact shouid be of 18dB.	Job	1 Job	
	5 Window replacement : (6'x 5'5",3'6"X 4.6")			
3	gray aluminium sliding with fixed glass. In aluminiun system window we will provide you the system : Jindal or equivalent any 27mm deluxe sliding series, (5mm toughen glass), track size: sliding 3 track frame 80mmx45mm , shutter frame size 27mmx65mm, mesh ss finish , concealed handles (ette, hivic, c mech or equivalent any)	SQFT	146	
	2 Fixed glass for ventalation : (8'x1'6")			
4	In aluminiun system window we will provide you the system : Jindal or equivalent any 40mm casement series, (5mm toughen glass), fixed frame 40mmx40mm , (Jindal ette, hivic, c mech - similar or equivalent any) , all the required hardware also included.	SQFT	24	
	Lights :			
5	(40'x28') (Round panel light, Natural white) Cob &panels-neptune ,lotus,gold medal or equivalet any. Wires –polycab or havells or equilent . Switches as per requirement ,5 AMP SWITCHES –7-8 , 15 AMP SWITCHES – 5 ,5 AMP SOCKET – 7-8,15 AMP SOCKET – 2,AC SWITCH – 1	SQFT	1120	
6	Wiring for 250 volts single phase and neutral 1X6 amps switched socket outlet (Primary Point) with 3X1.5 sq.mm PVC insulated copper conductor 1100 volts grade stranded flexible FRLS wires in concealed or surface mounted 25 mm dia PVC conduit and earthing the third pin of each socket outlet complete as per specification and as required.all kind of wiring will include in it.,existing unwanted wires would be remove,lan wiring will shift according to layout.			

प्राचार्य / PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public School
जोधपुर / Jodhpur

7	**Wallpaper** : Large-Scale 50 to 60 micron thick 3D wallpaper	SQFT	476	
8	Window customize **vinyl blinds** The Blind system consist of a coated aluminium tube of 38 mm diameter with provision of fabric clamping. The Fabric is rolled up and down through a chain drive system with built in drive gear and an over run brake system. The side brackets are universal type suitable both for wall and ceiling mounting. The bottom end of the fabric is rolled over an oval shape aluminium tube with provision to lock the fabric.	SQFT	224	
	Paint :			
9	Burger paint or equivalent : Suppying and applying 2 coat of putty ,one coat primer, and painted with 2 coat of plastic emulsion paint after cleaning the surface .oil paint on existing wardrobe with grey color	Job	1 Job	
10	Exahust Fan : Havells Ventil Air Dx 150 Mm Exhaust Fan or equivalent.	PER PCS	4	
11	Fan : Fan, STEALTH AIR ES 3 Blade Ceiling Fan 1200 mm sweep (Elegant White) Havells /usha/bajaj or equivalent any.	PER PCS	8	
	Furniture :			
12	Teacher's working Table Providing and fixing tables made out of 19mm thick marine plywood of approved make finished with 1 mm thick laminate of approved colour with & pattern in all visible areas. The inner sides are with 0.8 mm thick laminate. And the table top will be in LAMINATE finish and provide 12mm thick glass on top .48"x24"x30" , side table for teacher same finish as main table size to be18"x36"x 30"	PER PCS	1	
13	Chairs :Raxine seat and back are upholstered hydraulic pump 1 year warranty adjustable according comfort.Frame Material: Glass Filled Nylon Structure with Breathable Mesh | Size: High Back | Swivel: 360º swivel | Mechanism: Synchro Multi-Tilt Lock Mechanism| Gas-lift : Class 4 | Base: Heavy Duty Metal Base | Castors:50mm Dual Caster Wheels | 2D Adjustable Armrest | 2D Adjustable Lumbar Support | 2D Adjustable Headrest | Maximum Weight Capacity: Upto 125Kgs | Height Suitability: 5ft to 5ft.10" | Color: Black ,Material Mesh,Product Dimensions 50D x 65W x 115H Centimeters,Size High Back,Back Style Solid Back Special Feature Ergonomic, Adjustable Lumbar, Adjustable Height, Arm Rest, Swivel, Adjustable Backrest, Rolling, Seat Lock, Cushion AvailabilityErgonomic, Adjustable Lumbar, Adjustable Height, Arm Rest, Swivel, Adjustable Backrest, Rolling, Seat Lock, Cushion Availability,Product Care Instructions Dry Clean Net Quantity 1 Count,Seat Material Type Memory Foam.in minimum range 20,000	PER PCS	2	

प्राचार्य / PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public School
जोधपुर / Jodhpur

14	Round stools: provide highted stool with iron leg and wooden top with polish.	PER PCS	40	
15	Drawers under table : with 19 mm thickness waterproof plywood finished with 1 mm laminate . As per drawing provided.	PER PCS	9	
16	Provide malamine polishing and repairing as required on existing rack.	PER PCS	9	
17	**Basin foucet** :Material: Virgin Brass. Finish: Chrome.Basin Mounted Pattern. Mirror Finish look technology, is highly reflective for a mirror-like look and keep it a life long bright.High Durable and Easy To Clean.as per selection by lab incharge .	PER PCS	9	
18	Door: renovation of door with 2 acp scheet	PER PCS	3	
19	**Tile work** : Providing and fixing 3' ht 1st quality ceramic glazed wall (thickness to be specified by the manufacture) of approved make in selected colour, shades with replastering on all walls including store and teacher's room and all side of tables.	Job	1 Job	
20	dismential work of stone tile for 9 table (8'x4'x3') and wall.Gas pipe line and other instrument if remove by contractor (if required)reinstallation will include in it	Job	1 Job	
21	4'X3' P/F wooden cabinate for cooler starter panel with 19 mm thick plywood with 1mm laminate of approved color.The inner sides are with 0.8 mm thick laminate.	SQFT	12	

Principal
APS Jodhpur
Army Public School
जोधपुर / Jodhpur

To be filled by the Firm before Delivery

Name & address of the firm : _____

GST No (Compulsory) : _____

Name of the Firm's owner/Rep : _____

Signature of the firm's owner/rep with seal : _____

Telephone & Mobile No : _____

E-mail address of the Firm : _____