ARMY PUBLIC SCHOOL JODHPUR

CIRCULAR

AMENDMENTS IN SCOPE OF WORK AND FINANCIAL BID – CONSTRUCTION OF SYNTHETIC VOLLEYBALL COURT

1. Please refer open tender advertisements/uploaded on the school website and Pre Bid Meetings held on 26 Nov 2024 in respect of the subject project.

2. The following amendments may please be carried out in above tender documents :-

S. No	Detail of Amendments	Remarks
(a)	Revision of Scope of Work & Financial bid	Revised Scope of Work & Financial Bid being uploaded on the school website.

3. Rest no change.

4. Please submit the tender documents as discussed during the Pre Bid meeting and as per Revised Scope of Work/Financial Bid by due date.

Date : 04 Dec 2024

(Dr (Mrs) Tabassum Khan)
Principal

(Concerned Vendor)

Annexure G

SECTION III

SCOPE OF WORK : CONSTRUCTION OF VOLLEYBALL COURT

S.NO.	ITEM DESCRIPTION	UNIT	QUANTITY	Compliance (To be filled by the Vendor)
	Asphalt Base for Outdoor Recreational Surface.24x15 meter			
1	24x15 meter - (a) Dressing of soil after removing existing grass and weeds.(b) Compaction of sub base will be by 8-10.(c) Carry out anti-termite and weedicide on the total area by spraying ton roller.(d) Lay of layer of 85mm/ 65mm compacted water bound macadam in one/two layers respectively. WBM to be densely compacted by keying and interlocking and stones to ensure that no settlement takes place.(e) Lay of 30 mm compacted thick hot mix Asphalt BM course. (f) Lay of 20 mm compacted thick hot mix A.C course.(g) Seal coat with stones dust.(h) Providing and construction open storm water drain on (20 mtrs). Both or single side depending on the site conditions for effective drainage of rain water having of depth of 12 " and thewidth of 9 " with slope of 1 : 120 finished granting MS gratings on top.. (j) Toe wall on all the four sides as retaining wall for the asphalted surface , up to a depth of 2 / 1 ' width 9 " and plaster only theexposed wall section and painted.	sqft	4360	
	Synthetic Volleyball Court.			
2	(a) Primer. 100% synthetic court of acrylic (KDF) based emulsion to improve bond of acrylic court system to the concrete or asphalt surface. (b) Resurfacer. 1 synthetic court of acrylic (KDF) Resurfacer 367-30 for filling and smoothing asphalt or concrete surfaces in preparation for synthetic court of acrylic (KDF) ITF approved court system. Also fill surface chips, voids & conceals repair while providing a smooth surface for color coating. (c) Cushion Coat. 2 layers of synthetic court of acrylic cushion for asphalt or concrete surfaces in preparation for synthetic court acrylic (KDF) ITF approved system. (d) Ultra Cushion Coat. 2 layers of synthetic court of acrylic cushion for asphalt or concrete surfaces in preparation for synthetic court acrylic. (e) Precoat. 2 layers of synthetic court of acrylic (KDF) based textured topcoat ideal for color coating courts and other sport pavement surfaces. (f) Overline. 100% synthetic court of Acrylic (KDF) based high hiding line paints.	sqft	4360	
	Electronic Score Board.			
3	LED Type, Dimension - 4' x 3'.	Nos	1	
	Chain Link Fence			
4	10' ft high. 2" dia MS pipes spaced 10 ft apart on all four sides of the court with one gate. The top & bottom of the chain link will have 1-1/2" dia pipes. Chain Link - 10 to 12 gauge GI wire spaced 2" apart.	Rmt	80.4	

	Seating Arrangement.			
5	(30) chairs for players with ten chairs on each sided of the court with silver Stainless Steel fixed Chair for seating .(Neelkamal/ Equivalent).	Nos	30	
6	1 feet parapet boundary (stepped footing 2feet deep and 1 feet above ground level, with finish plastered and paint)	Cuft	900	
7	shede : 2 iron shed (8'x20')with 15'hight P/f of canopy made up of structural steel(MS I-section, channel, base plate, angle purlin etc.) with fibre profile heet at the top with necessary raised kota flooring having kota 18- 20mm, raised 50mm from the ground level,	Sqft	320	
8	side full brick wall 230mm with PCC 1:5:10 at the base, and provisions for electrical fixtures like conduiting, wiring, etc.FABRIC 900 GSM PVDF COTED.	Sqft	320	
9	civil work such as painting & priming over structural steel, grouting of structural steel column in 1:2:4,	Sqft	320	
10	Net for vollyball court or necessary Iron poles for net with all necessary hardware .1m wide and amp:9.50m long, 10cm square black mesh, top of the net (horizontal band) 5cm wide two-fold white canvas and rope /cable for fastening while the bottom of the net shall not have canvas, however, strong rope or cable must be there for fasten .(yonex/nivia /equilvalent)	Nos	1	

Principal
APS Jodhpur

PRINCIPAL
आर्मी पब्लिक स्कूल
Army Public Schoo
जोधपुर / Jodhpur

To be filled by the Firm before Delivery

Name & address of the firm : _____

GST No (Compulsory) : _____

Name of the Firm's owner/Rep : _____

Signature of the firm's owner/rep with seal : _____

Telephone & Mobile No : _____

E-mail address of the Firm : _____

SECTION IV

FINANCIAL BID

FINANCIAL BID : CONSTRUCTION OF VOLLEYBALL COURT

S.No	ITEM DESCRIPTION	UNIT	QTY	Rate per sq ft /PCs	TOTAL AMOUNT
	Asphalt Base for Outdoor Recreational Surface.24x15 meter				
1	24x15 meter - (a) Dressing of soil after removing existing grass and weeds.(b) Compaction of sub base will be by 8-10.(c) Carry out anti-termite and weedicide on the total area by spraying ton roller.(d) Lay of layer of 85mm/ 65mm compacted water bound macadam in one/two layers respectively. WBM to be densely compacted by keying and interlocking and stones to ensure that no settlement takes place.(e) Lay of 30 mm compacted thick hot mix Asphalt BM course. (f) Lay of 20 mm compacted thick hot mix A.C course.(g) Seal coat with stones dust.(h) Providing and construction open storm water drain on (20 mtrs). Both or single side depending on the site conditions for effective drainage of rain water having of depth of 12 " and thewidth of 9 " with slope of 1 : 120 finished granting MS gratings on top.. (j) Toe wall on all the four sides as retaining wall for the asphalted surface , up to a depth of 2 / 1 ' width 9 " and plaster only theexposed wall section and painted.	sqft	4360		
	Synthetic Volleyball Court.				
2	(a) Primer. 100% synthetic court of acrylic (KDF) based emulsion to improve bond of acrylic court system to the concrete or asphalt surface. (b) Resurfacer. 1 synthetic court of acrylic (KDF) Resurfacer 367-30 for filling and smoothing asphalt or concrete surfaces in preparation for synthetic court of acrylic (KDF) ITF approved court system. Also fill surface chips, voids & conceals repair while providing a smooth surface for color coating. (c) Cushion Coat. 2 layers of synthetic court of acrylic cushion for asphalt or concrete surfaces in preparation for synthetic court acrylic (KDF) ITF approved system. (d) Ultra Cushion Coat. 2 layers of synthetic court of acrylic cushion for asphalt or concrete surfaces in preparation for synthetic court acrylic. (e) Precoat. 2 layers of synthetic court of acrylic (KDF) based textured topcoat ideal for color coating courts and other sport pavement surfaces. (f) Overline. 100% synthetic court of Acrylic (KDF) based high hiding line paints.	sqft	4360		

	Electronic Score Board.				
3	LED Type, Dimension - 4' x 3'.	Nos	1		
	Chain Link Fence				
4	10' ft high. 2" dia MS pipes spaced 10 ft apart on all four sides of the court with one gate. The top & bottom of the chain link will have 1-1/2" dia pipes. Chain Link - 10 to 12 gauge GI wire spaced 2" apart.	Rmt	80.4		
	Seating Arrangement.				
5	(30) chairs for players with ten chairs on each sided of the court with silver Stainless Steel fixed Chair for seating .(Neelkamal/ Equivalent).	Nos	30		
6	1 feet parapet boundary (stepped footing 2feet deep and 1 feet above ground level, with finish plastered and paint)	Cuft	900		
7	shede : 2 iron shed (8'x20')with 15'hight P/f of canopy made up of structural steel(MS I-section, channel, base plate, angle purlin etc.) with fibre profile heet at the top with necessary raised kota flooring having kota 18- 20mm, raised 50mm from the ground level,	Sqft	320		
8	side full brick wall 230mm with PCC 1:5:10 at the base, and provisions for electrical fixtures like conduiting, wiring, etc.FABRIC 900 GSM PVDF COTED.	Sqft	320		
9	civil work such as painting & priming over structural steel, grouting of structural steel column in 1:2:4,	Sqft	320		
10	Net for vollyball court or necessary Iron poles for net with all necessary hardware .1m wide and amp:9.50m long, 10cm square black mesh, top of the net (horizontal band) 5cm wide two-fold white canvas and rope /cable for fastening while the bottom of the net shall not have canvas, however, strong rope or cable must be there for fasten .(yonex/nivia /equilvalent)	Nos	1		
	Amount				
	Add: GST (@18%of amount)				
	Total Amount				

Principal
APS Jodhpur

To be filled by the Firm before Delivery

Name & address of the firm : _____

GST No (Compulsory) : _____

Name of the Firm's owner/Rep : _____

Signature of the firm's owner/rep with seal : _____

Telephone & Mobile No : _____

E-mail address of the Firm : _____